




SS55

Stationary Seat

Materials

- Stationary - Cer, Sic, SSic, TC, ChrStl
 Elastomer - NBR, EPDM, Viton



Shaft ØD		ØD1	ØD2	L1	L4	L5
Imperial	Metric					
9.5	10	22.23	15.88	7.90	1.27	6.35
12.7	12	25.40	19.05	7.90	1.27	6.35
15.8	14	31.75	23.80	10.30	1.27	8.74
	16					
19.1	17	34.93	26.97	10.30	1.27	8.74
	18					
	19					
20.6	20	-	-	-	-	-
22.2	22	38.10	30.15	10.30	1.27	8.74
25.4	24	41.28	33.32	11.10	1.27	9.53
	25					
28.5	27	44.45	36.50	11.10	1.27	9.53
	28					
	29					
31.7	30	47.63	39.70	11.10	1.27	9.53
	32					
34.9	34	50.80	42.85	11.10	1.27	9.53
	35					
38.1	38	53.98	46.05	11.10	1.27	9.53
41.2	40	60.33	50.80	12.70	1.27	11.10
44.4	42	63.50	53.98	12.70	1.27	11.10
	43					
	45					
47.6	48	66.68	57.15	12.70	1.27	11.10
50.8	50	69.85	60.33	12.70	1.27	11.10
53.9	53	76.20	60.33	14.20	1.27	12.70
	54					
57.1	55	79.38	61.90	14.20	1.27	12.70
60.3	60	82.55	65.10	14.20	1.27	12.70
63.5	63	85.73	68.25	14.20	1.27	12.70
66.6	65	85.73	71.42	15.90	2.54	14.27
69.8	70	88.90	74.60	15.90	2.54	14.27
73.0	73	95.25	77.77	15.90	2.54	14.27
76.2	75	98.43	80.95	15.90	2.54	14.27
79.3	-	101.60	84.12	19.80	2.54	16.66
82.5	80	104.78	87.30	19.80	2.54	16.66
85.7	85	107.95	90.47	19.80	2.54	16.66
88.9	90	111.13	93.65	19.80	2.54	16.66
92.0	-	114.30	96.82	19.80	2.54	16.66
95.2	95	117.48	100.00	19.80	2.54	16.66
98.4	-	120.65	103.17	19.80	2.54	16.66
101.6	100	123.83	106.35	19.80	2.54	16.66