




SSWE / SSWU

Stationary Seat

Materials
Stationary
Elastomer

- Cer / Sic / SSic / TC / ChrStl
- NBR / EPDM / Viton



Shaft ØD		ØD1		L1		L2	L5
Imperial	Metric	SSWE	SSWU	SSWE	SSWU		
95	10	24.6	-	8.7	-	3	7.1
127	12	27.8	25.4	8.7	7.9	3	7.1
158	14	30.95	31.75	10.3	10.3	3	8.7
	16						
191	17	34.15	34.93	10.3	10.3	3	8.7
	18						
	19						
206	20	35.7	-	10.3	-	3	8.7
222	22	37.3	38.1	10.3	10.3	3	8.7
254	24	40.5	41.28	10.3	11.1	3	8.7
	25						
285	27	47.65	44.45	11.9	11.1	3	10.3
	28						
	29						
317	30	50.8	47.63	11.9	11.1	3	10.3
	32						
349	34	54	50.8	11.9	11.1	3	10.3
	35						
381	38	57.15	53.98	11.9	11.1	3	10.3
412	40	60.35	60.33	11.9	12.7	3	10.3
444	42	63.5	63.5	11.9	12.7	3	10.3
	43						
	45						
476	48	66.7	66.68	11.9	12.7	3	10.3
508	50	69.85	69.85	13.5	12.7	3	11.9
539	53	73.05	76.2	13.5	14.2	3	11.9
	54						
571	55	76.2	79.38	13.5	14.2	3	11.9
603	60	79.4	82.55	13.5	14.2	3	11.9
635	63	82.55	85.73	13.5	14.2	3	11.9
666	65	92.1	85.73	15.9	15.9	4	14.3
698	70	95.25	88.9	15.9	15.9	4	14.3
730	73	98.45	95.25	15.9	15.9	4	14.3
762	75	101.6	98.43	15.9	15.9	4	14.3
793	-	111.15	101.6	19.9	19.8	5	18.3
825	80	114.3	104.78	19.9	19.8	5	18.3
857	85	117.5	107.95	19.9	19.8	5	18.3
889	90	120.65	111.13	19.9	19.8	5	18.3
920	-	123.85	114.3	19.9	19.8	5	18.3
952	95	127	117.48	19.9	19.8	5	18.3
984	-	130.2	120.65	19.9	19.8	5	18.3
1016	100	133.35	123.83	19.9	19.8	5	18.3